

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD  
Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 124787-001

Date of Issue : 25<sup>th</sup> February 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 19<sup>th</sup> February 2008 **Analysis Started** 19<sup>th</sup> February 2008

**Sample Type** Melons **SAL Job Reference** 124787

**Sample Description** Conventional Solarnet Melons **Consignment** 95195  
**Supplier** Mikes Melons **Farm Code/ Traceability** (JP Pallet Barcode) JP0370273  
**Country of Origin** Honduras **(Traceability Number 1282-05)**  
**Sample Reference** P0: 22202 **Shipper Barcode** 012DDJ  
**Sample Taken At & Date** Cross & Wells/ 18.02.2008 **Vessel** GESU 9011356

**Analysis Requested** Microbiology Analysis

### Results Summary

Tests	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Coliforms	< 10	10 cfu/g			SU
F Strep	< 10	10 cfu/g			SU
E.coli	< 10	10 cfu/g			SU
Listeria spp	ND 25g	+/- in 25g			SU
Salmonella spp	ND 25g	+/- in 25g			SU
Yeast	< 10	10 cfu/g			SU
Mould	< 10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories  
S – Analysis was subcontracted to a laboratory that holds UKAS accreditation  
C – Analysis was subcontracted  
B – Analysis contains both UKAS and Non-UKAS accredited compounds  
cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited  
U – Analysis is UKAS accredited  
\* - MRL set at the limit of detection  
+/- in 25g – Presence absence in 25 g

Reported By Miss A Gailliez  
Project Manager

Authorised By Mr S Swann  
General Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD  
Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 124787-002

Date of Issue : 25<sup>th</sup> February 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 19<sup>th</sup> February 2008 **Analysis Started** 19<sup>th</sup> February 2008

**Sample Type** Melons **SAL Job Reference** 124787

**Sample Description** Conventional Solarnet Melons **Consignment** 95195  
**Supplier** Mikes Melons **Farm Code/ Traceability** (JP Pallet Barcode) JP0370263  
**Country of Origin** Honduras **(Traceability Number 1272-10)**  
**Sample Reference** P0: 22202 **Shipper Barcode** 0127M2  
**Sample Taken At & Date** Cross & Wells/ 18.02.2008 **Vessel** GESU 9011356

**Analysis Requested** Microbiology Analysis

### Results Summary

Tests	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Coliforms	350	10 cfu/g			SU
F Strep	< 10	10 cfu/g			SU
E.coli	< 10	10 cfu/g			SU
Listeria spp	ND 25g	+/- in 25g			SU
Salmonella spp	ND 25g	+/- in 25g			SU
Yeast	< 10	10 cfu/g			SU
Mould	< 10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories  
S – Analysis was subcontracted to a laboratory that holds UKAS accreditation  
C – Analysis was subcontracted  
B – Analysis contains both UKAS and Non-UKAS accredited compounds  
cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited  
U – Analysis is UKAS accredited  
\* - MRL set at the limit of detection  
+/- in 25g – Presence absence in 25 g

Reported By Miss A Gailliez  
Project Manager

Authorised By Mr S Swann  
General Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD  
Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 124787-003

Date of Issue : 25<sup>th</sup> February 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 19<sup>th</sup> February 2008 **Analysis Started** 19<sup>th</sup> February 2008

**Sample Type** Melons **SAL Job Reference** 124787

**Sample Description** Conventional Solarnet Melons **Consignment** 95195  
**Supplier** Mikes Melons **Farm Code/ Traceability** (JP Pallet Barcode) JP0370260  
**Country of Origin** Honduras **(Traceability Number 1282-04)**  
**Sample Reference** P0: 22202 **Shipper Barcode** 0127MH  
**Sample Taken At & Date** Cross & Wells/ 18.02.2008 **Vessel** GESU 9011356

**Analysis Requested** Microbiology Analysis

### Results Summary

Tests	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Coliforms	< 10	10 cfu/g			SU
F Strep	< 10	10 cfu/g			SU
E.coli	< 10	10 cfu/g			SU
Listeria spp	ND 25g	+/- in 25g			SU
Salmonella spp	ND 25g	+/- in 25g			SU
Yeast	10	10 cfu/g			SU
Mould	20	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories  
S – Analysis was subcontracted to a laboratory that holds UKAS accreditation  
C – Analysis was subcontracted  
B – Analysis contains both UKAS and Non-UKAS accredited compounds  
cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited  
U – Analysis is UKAS accredited  
\* - MRL set at the limit of detection  
+/- in 25g – Presence absence in 25 g

Reported By Miss A Gailliez  
Project Manager

Authorised By Mr S Swann  
General Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD  
Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 125680-005

Date of Issue : 7<sup>th</sup> March 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 28<sup>th</sup> February 2008      **Analysis Started** 28<sup>th</sup> February 2008

**Sample Type** Melon      **SAL Job Reference** 125680

**Sample Description** Acclaim Melon      **Barcode** JP0370967

**Country of Origin** Honduras      **Traceability** 202312

**Consignment Number** 95321

**Exporter/Supplier** Mikes Melons

**Analysis Requested** Microbiology

### Results Summary

Analyte	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Microbiology					
Listeria spp	ND 25	+/- in 25g			SU
F.Streptococci	<10	10 cfu/g			SU
Yeast	<10	10 cfu/g			SU
Mould	10	10 cfu/g			SU
Coliforms	<10	10 cfu/g			SU
Salmonella spp	ND 25	+/- in 25g			SU
E.coli	<10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories  
S – Analysis was subcontracted to a laboratory that holds UKAS accreditation  
C – Analysis was subcontracted  
B – Analysis contains both UKAS and Non-UKAS accredited compounds  
cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited  
U – Analysis is UKAS accredited  
\* - MRL set at the limit of detection  
+/- in 25g – Presence absence in 25 g

Reported By Miss J Przybylski  
Project Manager

Authorised By Mr S Williams  
Technical Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD  
Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 125680-006

Date of Issue : 7<sup>th</sup> March 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 28<sup>th</sup> February 2008      **Analysis Started** 28<sup>th</sup> February 2008

**Sample Type** Melon      **SAL Job Reference** 125680

**Sample Description** Acclaim Melon      **Barcode** JP0370967

**Country of Origin** Honduras      **Traceability** 202215

**Consignment Number** 95321

**Exporter/Supplier** Mikes Melons

**Analysis Requested** Microbiology

### Results Summary

Analyte	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Microbiology					
Listeria spp	ND 25	+/- in 25g			SU
F.Streptococci	<10	10 cfu/g			SU
Yeast	50	10 cfu/g			SU
Mould	<10	10 cfu/g			SU
Coliforms	<10	10 cfu/g			SU
Salmonella spp	ND 25	+/- in 25g			SU
E.coli	<10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories

S – Analysis was subcontracted to a laboratory that holds UKAS accreditation

C – Analysis was subcontracted

B – Analysis contains both UKAS and Non-UKAS accredited compounds

cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited

U – Analysis is UKAS accredited

\* - MRL set at the limit of detection

+/- in 25g – Presence absence in 25 g

Reported By

Miss J Przybylski  
Project Manager

Authorised By

Mr S Williams  
Technical Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD  
Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 125680-007

Date of Issue : 7<sup>th</sup> March 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 28<sup>th</sup> February 2008      **Analysis Started** 28<sup>th</sup> February 2008

**Sample Type** Melon      **SAL Job Reference** 125680

**Sample Description** Acclaim Melon      **Barcode** JP0370967  
**Country of Origin** Honduras      **Traceability** 202310  
**Consignment Number** 95321  
**Exporter/Supplier** Mikes Melons

**Analysis Requested** Microbiology

### Results Summary

Analyte	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Microbiology					
Listeria spp	ND 25	+/- in 25g			SU
F.Streptococci	<10	10 cfu/g			SU
Yeast	<10	10 cfu/g			SU
Mould	<10	10 cfu/g			SU
Coliforms	<10	10 cfu/g			SU
Salmonella spp	ND 25	+/- in 25g			SU
E.coli	<10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories  
S – Analysis was subcontracted to a laboratory that holds UKAS accreditation  
C – Analysis was subcontracted  
B – Analysis contains both UKAS and Non-UKAS accredited compounds  
cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited  
U – Analysis is UKAS accredited  
\* - MRL set at the limit of detection  
+/- in 25g – Presence absence in 25 g

Reported By Miss J Przybylski  
Project Manager

Authorised By Mr S Williams  
Technical Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD

Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 125798-001

Date of Issue : 11<sup>th</sup> March 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 29<sup>th</sup> February 2008      **Analysis Started** 29<sup>th</sup> February 2008

**Sample Type** Melon      **SAL Job Reference** 125798

**Sample Description** Conventional Acclaim Melon      **Farm/ Traceability Code** 201313 / JP0370966 / 012D9F

**Country of Origin** Honduras      **Sample Taken at & Date** Cross & Wells & 28.02.08

**Consignment Number** 95321

**Exporter/Supplier** Mikes Melons

**Analysis Requested** Microbiology

### Results Summary

Analyte	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Microbiology					
E.coli	< 10	10 cfu/g			SU
Yeast	90	10 cfu/g			SU
Mould	200	10 cfu/g			SU
Listeria spp	ND 25g	+/- in 25g			SU
Salmonella spp	ND 25g	+/- in 25g			SU
Coliforms	200	10 cfu/g			SU
F.Streptococci	< 10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories

S – Analysis was subcontracted to a laboratory that holds UKAS accreditation

C – Analysis was subcontracted

B – Analysis contains both UKAS and Non-UKAS accredited compounds

cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited

U – Analysis is UKAS accredited

\* - MRL set at the limit of detection

+/- in 25g – Presence absence in 25 g

Reported By

Miss A Gailliez  
Project Manager

Authorised By

Mr S Williams  
Technical Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD

Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 125798-002

Date of Issue : 11<sup>th</sup> March 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 29<sup>th</sup> February 2008      **Analysis Started** 29<sup>th</sup> February 2008

**Sample Type** Melon      **SAL Job Reference** 125798

**Sample Description** Conventional Acclaim Melon      **Farm/ Traceability Code** 201304 / JP0370966 / 012D9F

**Country of Origin** Honduras      **Sample Taken at & Date** Cross & Wells & 28.02.08

**Consignment Number** 95321

**Exporter/Supplier** Mikes Melons

**Analysis Requested** Microbiology

### Results Summary

Analyte	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Microbiology					
E.coli	< 10	10 cfu/g			SU
Yeast	> 1500	10 cfu/g			SU
Mould	130	10 cfu/g			SU
Listeria spp	ND 25g	+/- in 25g			SU
Salmonella spp	ND 25g	+/- in 25g			SU
Coliforms	190	10 cfu/g			SU
F.Streptococci	< 10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories

S – Analysis was subcontracted to a laboratory that holds UKAS accreditation

C – Analysis was subcontracted

B – Analysis contains both UKAS and Non-UKAS accredited compounds

cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited

U – Analysis is UKAS accredited

\* - MRL set at the limit of detection

+/- in 25g – Presence absence in 25 g

Reported By

Miss A Gailliez  
Project Manager

Authorised By

Mr S Williams  
Technical Manager



# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD

Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 125798-003

Date of Issue : 11<sup>th</sup> March 2008

**Client** J P Fresh Ltd  
**Contact** Tony Brown  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 29<sup>th</sup> February 2008      **Analysis Started** 29<sup>th</sup> February 2008

**Sample Type** Melon      **SAL Job Reference** 125798

**Sample Description** Conventional Acclaim Melon      **Farm/ Traceability Code** 201307 / JP0370970 / 012D9G

**Country of Origin** Honduras      **Sample Taken at & Date** Cross & Wells & 28.02.08

**Consignment Number** 95321

**Exporter/Supplier** Mikes Melons

**Analysis Requested** Microbiology

### Results Summary

Analyte	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Microbiology					
E.coli	< 10	10 cfu/g			SU
Yeast	> 1500	10 cfu/g			SU
Mould	30	10 cfu/g			SU
Listeria spp	ND 25g	+/- in 25g			SU
Salmonella spp	ND 25g	+/- in 25g			SU
Coliforms	< 10	10 cfu/g			SU
F.Streptococci	< 10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories

S – Analysis was subcontracted to a laboratory that holds UKAS accreditation

C – Analysis was subcontracted

B – Analysis contains both UKAS and Non-UKAS accredited compounds

cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited

U – Analysis is UKAS accredited

\* - MRL set at the limit of detection

+/- in 25g – Presence absence in 25 g

Reported By

Miss A Gailliez  
Project Manager

Authorised By

Mr S Williams  
Technical Manager

# Scientific Analysis Laboratories Ltd

Unit 2, The Links, Bar Hill, Cambridge. CB3 8UD

Tel :01954 782 791 Fax: 01954 782 183

## Certificate of Analysis

Report Number : 126721-001

Date of Issue : 18<sup>th</sup> March 2008

**Client** J P Fresh Ltd  
**Contact** Mike Cantwell  
**Address** Producers House, 12 Newton Court, Galleon Boulevard, Crossways  
Dartford, Kent. DA2 6QL

**Samples Received** 11<sup>th</sup> March 2008      **Analysis Started** 11<sup>th</sup> March 2008

**Sample Type** Melons      **SAL Job Reference** 126721  
**Sample Description** Conventional Solarnet Melons      **Farm/ Traceability Code** (JP Pallet Barcode) JP0371941  
**Country of Origin** Honduras      (Traceability Number 1123-39)  
**Consignment Number** 95630      **Shipper Barcode** 013880  
**Exporter/Supplier** Mikes Melons      **Sample Taken at & Date** Cross & Wells & 10.03.2008

**Analysis Requested** Microbiology

### Results Summary

Analyte	Level Found mg/kg	Limit of Detection mg/kg	UK MRL mg/kg	CODEX mg/kg	Symbol
Microbiology					
E.coli	< 10	10 cfu/g			SU
Yeast	260	10 cfu/g			SU
Mould	< 10	10 cfu/g			SU
Listeria spp	ND 25g	+/- in 25g			SU
Salmonella spp	ND 25g	+/- in 25g			SU
Coliforms	60	10 cfu/g			SU
F.Streptococci	< 10	10 cfu/g			SU

#### Symbols:

W – Analysis was performed within the SAL group of accredited laboratories

S – Analysis was subcontracted to a laboratory that holds UKAS accreditation

C – Analysis was subcontracted

B – Analysis contains both UKAS and Non-UKAS accredited compounds

cfu/g – colony forming units per gram

N – Analysis is not UKAS accredited

U – Analysis is UKAS accredited

\* - MRL set at the limit of detection

+/- in 25g – Presence absence in 25 g

Reported By

Miss A Gailliez  
Project Manager

Authorised By

Mr S Swann  
General Manager